

# BRASS BARB TO #10-32 FITTINGS



**Material:** Brass

**Gasket:** Buna-N furnished in package only  
Replacement 11761-2

**Options:** (-ENP), (-M5 on 11752-2, 11752-3, 11752-4 and 11752-5)

Hose Barb		
1/16" ID	3/32" ID	1/8" ID
<b>12841*</b>	<b>12843*</b>	<b>12842*</b>
<b>11752-2 &amp; 11752-2-M5 (metric)</b>	<b>11752-8</b>	<b>11752-1</b>
	<p>* Gasket not required; use thread sealant. Tighten by hand for flush mounting in #10-32 threaded holes.</p>	<p><b>#1 Recommended</b></p>
<b>11752-5 &amp; 11752-5-M5 (metric)</b>		<b>11752-4 &amp; 11752-4-M5 (metric)</b>
		<b>11752-3 &amp; 11752-3-M5 (metric)</b>

## BRASS BARB TO #10-32 FITTINGS WITH CAPTIVATED O-RINGS

**Material:** Brass

**Seal:** Buna-N o-ring furnished installed

**Options:** (-ENP)

Hose Barb		
1/16" ID	3/32" ID	1/8" ID
<b>11792-5</b>	<b>11792-8</b>	<b>11792-4</b>






















# BRASS BARB TO PIPE FITTINGS

**Material:** Brass

**Thread:** Standard Pipe Thread

**Options:** (-ENP)




Hose Barb(s)	External Thread						
	1/16" NPT (5/16" Hex.)	1/8" NPT (7/16" Hex.)	1/4" NPT (9/16" Hex.)	3/8" NPT (11/16" Hex.)	1/2" NPT (13/16" Hex.)		
1/16" ID	 0.490	 0.740	 0.770	 0.890	 1.020		
Part No.	1CJ2	2CP2	4CQ2	6CW2	8CZ2		
3/32" ID	 0.710	 0.773	 0.804	 0.929	 1.054		
Part No.	1CJ3	2CP3	4CQ3	6CW3	8CZ3		
1/8" ID	 0.800	 0.906	 0.860	 1	 0.890	 1.020	 1.140
Part No.	1CJ4	11924-2	2CP4	11924-1*	4CQ4	6CW4	8CZ4
1/4" ID		 5/32" hex.   0.625		 5/32" hex.   0.625	*Also available with G1/8 thread. Add -MG to the part number.		
Part No.		12844		12845			

## 11924-1



1/8" NPT to 1/8" I.D. Hose Fitting



**Material:** Brass

**Thread:** 1/8" NPT

**Use:** Joins standard pipe to 1/8" I.D. hose


**Options:** (-ENP), (-MG)



## 11924-2



1/16" NPT to 1/8" I.D. Hose Fitting



**Material:** Brass

**Thread:** 1/16" NPT

**Use:** Joins standard pipe to 1/16" I.D. hose


**Options:** (-ENP)



## 11923



#10-32 to 1/8" O.D. Tube Compression Fitting



**Material:** Brass

**Thread:** #10-32

**For Tubing:** 3811-1-RL copper  
NYT1-0403-CLT nylon

**Options:** (-ENP)

**Features:** One-piece ferrule and nut for fast, easy insertion of tube


Replacement Ferrule and nut #15155



## 15160



#10-32 to 1/16" O.D. Tube Compression Fitting




**Material:** Brass, Buna-N seal

**Thread:** #10-32

**For Tubing:** 1/16" O.D. copper or stainless steel

**Options:** (-ENP)

**Features:** One-piece ferrule and nut for fast, easy insertion of tube. Captivated o-ring seal



Clippard's reputation of building jigs, fixtures and machines as well as modifying existing machines to improve productivity is carried on in its well equipped machine shop. New product prototypes are crafted by experienced engineers and machinists.